## STATEMENT OF WORK FOR THE Rebuild of the TYPE V TERMINAL CIRCUIT CARD ASSEMBLY For the SB-3614(V)/TT

NSN: 5999-01-206-6013 & 5999-01-138-1758

- 1.0 SCOPE. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) to rebuild the Type V Terminal Circuit Card Assembly (CCA), NSN 5999-01-206-6013, Part Number 755090A0916, CAGE 80372 and NSN 5999-01-138-1758, for the SB-3614(V)/TT. This document contains requirements to restore the Type V Terminal Circuit Card Assembly to Condition Code "A". Condition Code "A" is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repair or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement. As there are two different manufacturers with different part numbers and cage codes for this CCA, the specifications required for rebuild are the same for both, as they are identical.

## 2.1 Military Standards.

MIL-STD-129

DoD Standard Practice for Military Marking

MIL-STD-2073-1D

DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications.

DMWR 11-5805-695

Rebuild Standard for the Switchboard, Telephone,

SB-3614(V)/TT

DoD 4000.25-1-M

MILSTRIP Manual

Engineering Drawing 755090B0315 CAGE 80372

Acceptance Test Procedure

**Engineering Drawing** 

755090A0916 CAGE 80372

Type V Terminal CCA

**Engineering Drawing** 

755090A0916-1 CAGE 80372

Parts List for Type Terminal CCA

**Engineering Drawing** 

755090A0917-1 CAGE 80372

Logic Diagram

**Engineering Drawing** 

755090A0350-1 CAGE 80372

Criteria Specification

Military Handbook (For Guidance)

MIL-HDBK-61

Configuration Management Guidance

2.3 Industry Standards

JESD625-A

Requirements for Handling Electrostatic-Discharge-

Sensitive (ESDS) Devices

ANSI/ISO/ASOC 09003-1994

Quality Systems - Model for Quality Assurance in

Final Inspection and Test

**Industry Standard (For Guidance)** 

ANSI/EIA-649

National Consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, commercial telephone number (215) 697-2179 or DSN 442-2179 or on the Internet at <a href="http://www.dodssp.daps.mil">http://www.dodssp.daps.mil</a>. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Contracts Department (Code 891), P. O. Drawer 43019, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, GA 31704-3019, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Supply Chain Management Center, Attn: Code 583-1, 814 Radford Blvd., Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

## 3.0 REQUIREMENTS.

3.1 The Contractor shall rebuild the Type V Terminal CCA for the SB-3614(V)/TT in accordance with DMWR 11-5805-695, Engineering Drawings 755090B0315, 755090A0917-1, 755090A0916 and 755090A0916-1, Parts List, CAGE 80732.

## 3.2 Packaging, Handling, Storage and Transportation (PHS&T).

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia., Specialized Preservation Code "GX". Items scheduled for domestic shipment for immediate use or short-term storage shall be to level "B" requirements. This item is subject to Electrostatic Discharge and shall be packed into a reusable fast pack container.
  - b. Marking for shipment and storage shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the rebuilt equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The Contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the Contractor shall prepare and submit a Request for Deviation (RFD). MIL-HDBK-61 and ANSI/EIA-649 provide guidance for preparing this configuration control document.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE)/(GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. (This can be done by mailing (Materiel Management Department, Management Control Activity (Code 573-2) 814 Radford Blvd., STE 20320, Albany, GA 31704-0320) or faxing (commercial 229-639-5498 or DSN 567-5498) a copy of the DD1348).
- 3.5 Quality Assurances Provisions. The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality Systems-Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The Contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, testing, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the SOW through the DoD Supply System. DoD 4000.25-1-M

(MILSTRIP) Chapter 11 provides guidance to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and the required completion/delivery date.

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 1704-0188				
maintaining the data suggestions for reduc Arlington, VA 22202	needed, and completing and re ring this burden, to Department	viewing the col t of Defense, W nagement and I	lection of information. Set ashington Headquarters Se Budget, Paperwork Reducti	nd comments regarding to rvices, Directorate for In on Project (0704-0188),	sis burden estin formation Oper	reviewing instructions, searching nate or any other aspect of this co- ations and Reports 1215 Jefferson C 20503. Please DO NOT RETU	llection of inf Davis High	ormation, in way, Suite 12	cluding 204,	
A, CONTRAC	C. CATEGORY	C. CATEGORY:								
D. SYSTEM/IT		<u>1</u>	E. CONTRACT/PI	R No.	F. CONT	TRACTOR Other XXX				
	e V Terminal CCA	<u> </u>	<u></u>	<del></del>	3. SUBTITL	B				
A001	Request for Deviation (RFD)					Configuration Management				
4. AUTHORITY (D	ata Acquisition Document No.)	Ï	5. CONTRACT REFERE	NCE		6, REQUIRING OFFICE				
DI-CMAN-80640C Paragraph 3.3						MARCORLOGBASES (583)				
7, DD 250 REQ. LT	9. DIST STATEMENT REQUIRED	10. FREQUENCY AS REQ		12. DATE OF FIRST SUBMISSION See Blk 16		14. DISTI	RIBUTION	b. COPIES		
8. APP CODE	1 A	11. AS OF D		13. DATE OF SUBSE		a. ADDRESSEE	D4	FINAL		
				SUBMISSION			Draft	Reg	Repro	
16. REMARKS				•		MCLBA (583-1)	0	1	0	
Blk 4: Contractor format is authorized and shall be submitted in .doc and .pdf format.										
								<u> </u>		
							<del> </del>	<del> </del>	<del>                                     </del>	
Blk 10 & 12: RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration								<del> </del>	<del>                                     </del>	
documentation	on.						I			
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the government.								<u> </u>		
							ļ	<del></del>	—	
apon reespe	o, mo go vorminon							<del> </del>	<del></del>	
RFDs shall be transmitted via e-mail to the following address: <a href="mailto:mbmatcom.usmc.mil">mbmatcom.usmc.mil</a>								-		
Distribution Statement A: Approved for public release, distribution is unlimited.										
Distribution	Statement A: App		ļ	<b> </b>						
							<del> </del>	<b></b>		
								<del> </del>		
	1							†		
							<u> </u>	ļ		
							1	<del> </del>	—	
							<del> </del>	<b> </b>	<del></del>	
								<u> </u>		
							1	<b> </b>	<del>                                     </del>	
							ŀ	<del> </del>	<del> </del>	
								<u> </u>	<del></del>	
						<u> </u>	<u> </u>	ļ	<u> </u>	
						<del></del>		<del> </del>	<del></del>	
						1	1	<del> </del>	<del></del>	
						15. TOTAY	0	1	0	
G. PREPARED	BY: A M	1.	H. DATE	I. APPROVED E	Y:	A	J. DATI		1	
Lame	C UGA		18 NOV 01	Meek X	400	Th		Vov 2		
עע FUKM 14 עע	23-1, AUG 96 (EG)		PREVIOUS I	ldition may be us	ED	/	Pa	ge <u>1</u> of	1 Pages	

DD FORM 1423-1, AUG 96 (EG)

20 NOV 200, Page 1 of 1 Pages
Designed using Perform Pro, WHS/D/or, Aug % 17. PRICE GROUP

18. ESTIMATED TOTAL PRICE